

Split System Submittal Data

CS-ME9SB4U

Multi Split Ceiling Recessed Indoor Unit

Job Name: _____
 Location: _____
 Engineer: _____
 Submitted to: _____
 Submitted by: _____
 Reference: _____

Approval: _____
 Date: _____
 Construction: _____
 Unit#: _____
 Drawing#: _____


General Data	
Power (V/P/Hz)	230/208/1/60
Circuit Ampacity (A)	15
Fuse Size, Max.(A)	15
Indoor Unit	
Fan Type	Backward Fan
Motor Type, No. of Poles	Transistor (8-Poles)
No. Speeds	5
RPM (Cool / Heat), High	560/620
No. Motors (W)	1/NA
CFM (Qlo/Lo/Me/Hi/SHi) Cooling	240/260/310/370/400
CFM (Qlo/Lo/Me/Hi/SHi) Heating	270/300/350/390/410
Operating Sound-Hi/Me/Lo/ dB-A (Cool)	36/30/27
Coil Type	Aluminum (Pre Coat)
Fin Type - Pipe Type	Slit Fin
Row x stage x FPI	2 x 10 x 18
Size mm	1270 x 210 x 25.4
Tube Size (in.)	N/A
Drain Connection Size Inner Dia (in.)	0.98
Refrigerant	R410
Refrigerant Tubing Connections	
Line Length, Max (ft.)	82'
Elevation Difference, Max (ft.)	49'.2"
Line Size (in. O.D. Discharge)	1/4"
Line Size (in. O.D. Suction)	3/8"
Dimensions (HxWxD)	
Indoor Unit (Uncrated) (in.)	10-1/4 x 22-21/32 x 22-21/32
Panel (Uncrated)	2-132 x 27-9/16 x 27-9/16
Weight (lbs.)	
(Indoor) Net	40 lbs
(Panel) Net	6 lbs



Features	
Controls	Microprocessor
Remote Controller	LCD Wireless Type
Wired Remote Controller	CZ-RD52CU
Temperature Control	IC Thermistor
Timer	Single Event Daily ON/OFF TIMER
Quiet mode	Included
High Power mode	Included
Air Louver, Horizontal	N. A.
Air Louver, Vertical	N. A.
Power Failure Automatic Restart	Built-In
Drain Pump	Built-In
Heating/Cooling Automatic Changeover	Built-In
Self-Diagnosis	Built-In
Air Filter	Washable, One-touch

Operating Range		Indoor Air Intake Temp	
Cooling (Max)		89.6F	DB
Cooling (Min)		60.8F	DB
Heating (Max)		86.0F	DB
Heating (Min)		60.8F	DB

Indoor Dimensions



Unit : mm (inch)

